

Batos Radio & TV

Your one stop Electronic Shop

Tel: (011) 362-2085 Fax: (011) 815-3637 batos.co.za Email: bato@batos.co.za

Skype Contact: batojak
You Tube: batojak
P.O. Box 1518
Springs 1560
Gauteng
South Africa

Fox Hunt Loop Antenna

Bidirectional Antenna for Radio Direction Finding



Unlike some other directional Antennas like Yagi, the **Loop Antenna** is used in the null mode (minimum signal) because the null mode can provide a very sharp bearing, readable to plus minus five degrees.

The **Loop Antenna** has the advantage of being less affected by reflection signals due to its Faraday shield.

By itself, the Loop can provide the entire Antenna requirement for direction finding provided the signal is strong to be received by the untuned Loop.


If the signal is too weak, Yagi is recommended for its directional gain.

If the signal is to strong, the use of an attenuator may be required.

Radio direction Finding is partly art, partly a science. It requires skill. You may need to practice to acquire that skill.

Happy Hunting

Actual size of the Loop Antenna BNC Connector Usable from 1Mhz to 800Mhz



















Batos Radio & TV

Your one stop Electronic Shop **Tel: (011) 362-2085** Fax: (011) 815-3637 Email: bato@batos.co.za batos.co.za

P.O. Box 1518 Springs 1560 Gauteng **South Africa**

RDF1 Get the direction

Batos Radio Direction Finding Antenna

RDF1 can provide a very sharp bearing, readable to plus minus 5degrees and has the advantiage of beeng less affected by reflection signals due to its Faraday shield and construction. So the antenna can be used for selective signal reception & in turn antenna can be used for direction finding.

> Radio Direction Finding is part scince part art. It requires knowledge and skill.



Batos Radio & TV

Your one stop Electronic Shop Tel: (011) 362-2085 Fax: (011) 815-3637 **batos.co.za** Email: bato@batos.co.za

P.O. Box 1518 Springs 1560 Gauteng South Africa









Electronic Variable Attenuator 0-100dB













Fixed Attenuator 25 & 50dB



